

BRZHEZHINSKIY, Yu.I.

Effect of increasing the between-repairs period of ship operations on the amount of repairs. Trudy TSNILMF no. 52:57-63 '63
(MIRA 18:1)

ACCESSION NR: AP4030650

S/0048/64/028/004/0717/0721

AUTHOR: Fousek, Ya.; Brzhezina, B.

TITLE: Frequency dependence of the motion of 90° domain walls in barium titanate
/Report, Symposium on Ferromagnetism and Ferroelectricity held in Leningrad 30 May
to 5 June 1963/

SOURCE: AN SSSR. Izv. Ser.fiz., v:28, no.4, 1964, 717-721

TOPIC TAGS: ferroelectricity, domain wall, domain wall motion, 90° domain wall motion, barium titanate

ABSTRACT: The motion of 90° domain walls in barium titanate was observed in alternating fields at frequencies from 50 cycles/sec to 200 kilocycles/sec. The crystals investigated contained only one 90° wall or spike-shaped domain. Observation was by stroboscopic illumination. The alternating field was applied in short bursts to avoid overheating, and the lamp was so triggered with the aid of a delay line as to permit observation at any selected phase of the applied field. The motion of the domain wall was characterized by periods of rest at each end of the range (hysteresis). At low frequencies the domain wall would continue to move in one direction,

Card 1/3

ACCESSION NR: AP4030650

only as long as the applied field continued to increase; the wall would come to rest as soon as the field began to decrease. At higher frequencies the forward motion of the domain wall would continue for a time after the field had begun to decrease, so that the phase of the domain wall motion lagged behind that of the applied field. The amplitude of the domain wall motion at fixed applied voltage decreased rapidly with increasing frequency. Other peculiarities of the motion were noted but are not described. A simple theory is developed to account for domain wall motion. This is based on concepts discussed elsewhere (J.Fousek and B.Brzhezina, Fizika tverdogo tela, 4, 1400, 1962). The motive force is a "pressure" within the domain proportional to the applied field and due to the interaction of this with the spontaneous polarization. There are two restoring forces: one is due to the excess compensation charge produced by the displacement of the wall, and the other has something to do with the effect of lattice defects on the surface energy of the domain wall. In addition to these, there is an inertial term, proportional to the acceleration and a damping term, proportional to the velocity. The inertial term can be large because, as E.A. Little (Phys.Rev., 98, 978, 1955) has shown, motion of 90° domain walls is accompanied by changes in the crystal dimensions, and hence by motions of large masses of matter. The damping term is presumed to arise from hysteresis and deformation losses due to the forced motion of 180° domain walls. The inertial term is neglected, and the

Card 2/3

ACCESSION NR: AP4030650

damping term is evaluated from the decrease of amplitude with increasing frequency. The motion of the domain wall is calculated from the resulting equation and is compared with experiment. Reasonable agreement is found, but there are indications that the neglected inertial term may be important in some cases. "The authors express their gratitude to Ya.Katser, A.Fouskova, Z.Malek, V.Dvorzhak and V.Yanovets for valuable discussions, and to A.Glanets, V.Yanoshek and Z.Voyta for assistance with the apparatus." Orig.art.has: 6 formulas and 6 figures.

ASSOCIATION: Fizicheskiy institut Chechoslovatskoy Akademii nauk (Physical Institute, Czechoslovakian Academy of Sciences)

SUBMITTED: OO

DATE ACQ: 30Apr64

ENCL: OO

SUB CODE: EM

NR REF Sov: 002

OTHER: 005

Card 3/3

(A)

ACC NR: AP6000346

SOURCE CODE: UR/0286/65/000/021/0041/0041

AUTHORS: Nikolayev, R. P.; Tarutin, P. P.; Romanova, A. F.; Erzhesina, L. K.

ORG: none

TITLE: Method for manufacturing a vitaminized animal fodder preparation. Class 30,
No. 176043

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 21, 1965, 41

TOPIC TAGS: food technology, commercial animal, vitamin, calcium compound, nicotinic acid

ABSTRACT: This Author Certificate presents a method for manufacturing a vitaminized animal fodder preparation containing vitamin A, molasses, and soybean meal. To insure complete vitaminization of the preparation, riboflavin (B₂), nicotinic acid (PP), and calcium pantothenate are dissolved in the molasses. Next, stabilized vitamin D is emulsified in the molasses, and vitamin B₁₂ and soybean meal are added to the mixture. The mixture is thoroughly mixed, crushed, and bagged.

SUB CODE: 02/
13/

SUBM DATE: 17Aug63

HW

Card 1/1

UDC: 636.085:636.087.3:577.161.164

BRZHEZNISKIY, I.

Deductions from the indivisible funds of collective farms. Den.
1 kred. 20 no. 8:61-63 Ag '62. (MIRA 15:9)

1. Kreditnyy inspektor Teleneshtskogo otdeleniya Gosbanka
Moldavskoy SSR.
(Teleneshty District—Collective farms—Finance)

BRZHEZINSKI, M.L.

PROCESSES AND PROPERTIES INDEX

27

M

Use of a Pneumatic Method of Evaluating the Quality of Surface Finishes. M. L. Brzhezinski. (Sovnki i Instrument, 1949, No. 3, 20-23). [In Russian]. In the instrument described and illustrated, the profilograph needle is mechanically drawn over the surface being investigated and its vertical movement causes changes in the size of the aperture through which air leaves a flow system. The changes in air pressure are registered on a recording manometer whose drum is rotated by the same motor as that which moves the specimen.—G. K.

AIA-SLA METALLURGICAL LITERATURE CLASSIFICATION

"APPROVED FOR RELEASE: 06/09/2000

CIA-RDP86-00513R000307210002-6

BRZHEZINSKIY, M.L.

Research on the application of the pneumatic method. Trudy VNIIM
no.12:65-86 '53.
(Physical measurements)

APPROVED FOR RELEASE: 06/09/2000

CIA-RDP86-00513R000307210002-6"

BRZHEZINSKIY, M.L.

Length measuring machines having autocollimation optical systems.
Trudy VNIIM no.20:3-4 '53. (MIRA 11:6)
(Length measurement)

"APPROVED FOR RELEASE: 06/09/2000

CIA-RDP86-00513R000307210002-6

BRZHEZINSKIY, M.L.

Universal interference comparators. Trudy VNIIM no.26:37-42 '55.
(MIRA 11:6)

(Interferometry)

APPROVED FOR RELEASE: 06/09/2000

CIA-RDP86-00513R000307210002-6"

ABADZHI, K.I.; BOYTSOV, A.N.; VOLOSEVICH, F.P.; GOBERMAN, P.N.; KUTAY, A.K.;
KARIMSKIY, F.I.; OETING, G.A.; RUBINOV, A.D.; SHTYURMER, G.A.;
~~BRZHIZINSKIY, M.L.~~, kandidat tekhnicheskikh nauk, retsenzent; PETROV,
V.I., inzhener, retsenzent; KEMPINSKIY, M.M., inzhener, redaktor;
LEYKINA, T.L., redaktor izdatel'stva; POL'SKAYA, R.G., tekhnicheskiy
redaktor

[Reference manual for production control in machine building] Spravochnik po proizvodstvennomu kontrolu v mashinostroenii. Pod obshchei red.
A.K.Kutai. Moskva, Gos. nauchno-tekh. izd-vo mashinostroit. lit-ry.
1956. 670 p, (MLRA 9:12)
(Machinery industry)

BRAZHEZINSKIY, M.L.
24(0); 5(4); 6(2)

PHASE I BOOK EXPLOITATION

SOV/2215

Vsesoyuznyy nauchno-issledovatel'skiy institut metrologii imeni
D.I. Mendeleyeva

Referaty nauchno-issledovatel'skikh rabot; sbornik No. 2 (Scientific
Research Abstracts; Collection of Articles, Nr 2) Moscow,
Standartgiz, 1958. 139 p. 1,000 copies printed.

Additional Sponsoring Agency: USSR. Komitet standartov, mer 1
izmeritel'nykh priborov.

Ed.: S. V. Reshetina; Tech. Ed.: M. A. Kondrat'yeva.

PURPOSE: These reports are intended for scientists, researchers,
and engineers engaged in developing standards, measures, and
gages for the various industries.

COVERAGE: The volume contains 128 reports on standards of measure-
ment and control. The reports were prepared by scientists of
institutes of the Komitet standartov, mer 1 izmeritel'nykh
priborov pri Sovete Ministrov SSSR (Commission on Standards,
Card 1/27

Scientific Research Abstracts; (Cont.)

SOV/2215

Measures, and Measuring Instruments under the USSR Council of Ministers). The participating institutes are: VNIIM - Vsesoyuznyy nauchno-issledovatel'skiy metrologii imeni D.I. Mendeleyeva (All-Union Scientific Research Institute of Metrology imeni D.I. Mendeleyev) in Leningrad; Sverdlovsk branch of this institute; VNIIK - Vsesoyuznyy nauchno-issledovatel'skiy institut Komiteta standartov, mer i izmeritel'nykh priborov (All-Union Scientific Research Institute of the Commission on Standards, Measures, and Measuring Instruments), created from MGIMIP - Moskovskiy gosudarstvennyy institut mer i izmeritel'nykh priborov (Moscow State Institute of Measures and Measuring Instruments) October 1, 1955; VNIIFTRI - Vsesoyuznyy nauchno-issledovatel'skiy institut fiziko-tehnicheskikh i radiotekhnicheskikh izmereniy (All-Union Scientific Research Institute of Physicotechnical and Radio-engineering Measurements) in Moscow; KhGIMIP - Khar'kovskiy gosudarstvennyy institut mer i izmeritel'nykh priborov (Khar'kov State Institute of Measures and Measuring Instruments); and NGIMIP - Novosibirskiy gosudarstvennyy institut mer i izmeritel'nykh priborov (Novosibirsk State Institute of Measures and Measuring Instruments). No personalities are mentioned. There are no references.

Card 2/27

Scientific Research Abstracts; (Cont.)

SOV/2215

Preface (Romanova, M. F., Professor, Editor)

3

Logacheva, L.N. (MGIMIP). Mastering a New Method for Comparison Measurements of Lengths up to 3,000 mm to an Accuracy of $\pm 7 \times 10^{-8}$ m

5

Kayak, L.K., and N.N. Medvedev (VNIIM). Studies to Determine Temperature Coefficients of Elongation of Steel Measures of Length

6

Brzhezinskiy, M.L., L.K. Kayak, and A.N. Koroleva (VNIIM). Methods of Measuring Great Lengths in Machine Manufacturing and the Checking of Measuring Devices

7

Brzhezinskiy, M.L., and L.K. Kayak (VNIIM). Developing a Method and a System of Unit Length Transfer from Standards to Working Measures (to 12 m in length) With the Highest Accuracy

9

Vaganov, I.P. (Sverdlovsk Branch of VNIIM). Studying and Improving the Means and Methods of Measuring Great Lengths and Diameters in Heavy Machine Manufacturing

9

Card 3/27

SOV/2215

Scientific Research (Cont.)

Polkova, A.Z., and I.P. Vaganova (Sverdlovsk Branch of VNIIM)

10

Studying Line Comparator

Polkova, A.Z. (Sverdlovsk Branch of VNIIM). Completion of Re-
search on Wear Resistance of Plane-Parallel End Standards (of
Soviet Plants) of All Classes

11

Kayak, L.K., A.N. Koroleva, and A.D. Zagatina (VNIIM). Improving
Accuracy in Testing Small-dimension Scales

11

Osmolovskaya, Ye.P., and K.A. Frolikova (MGIMIP). Studying the
Circular Measuring Machine and Development of a Means of Inspect-
ing Graduations of Precision Limbs

12

Polkova, A.Z., and L.L. Medyantseva (Sverdlovsk Branch of VNIIM).
Studying an Instrument for Checking Angle-measuring Devices

13

Card 4/27

Scientific Research Abstracts; (Cont.)

SOV/2215

- Pokras, S.I., and M.B. Zalmanzon (NGIMIP). Studying a Screw Pair ¹⁴
Simkin, G.S. (KhGIMIP). Measuring the Tooth Profile of Large-
diameter Reduction Gears ¹⁵
- Simkin, G.S., and I.L. Rabinovich (KhGIMIP). Investigating In-
struments and Methods for Measuring Elements of Worm Gears ¹⁶
- Osmolovskaya, Ye.P., and B.S. Davydov (MGIMIP). Comparative
Rating of Probe and Contactless Gages for Measuring Surface
Finish ¹⁶
- Yegorov, V.A., B.S. Davydov, V.P. Kurnosenko, and T.S. Labutina
(MGIMIP). Developing a Method for Testing Surface Finish Samples
and Instruments for Surface Finish Quality Control ¹⁷
- Boguslavskiy, M.G. (VNIIM). Making Improved Surface Finish Test
Samples ¹⁸
- Finkel'shteyn, I.Ye. (NGIMIP). Developing Methods and Means of

Card 5/27

Scientific Research Abstracts; (Cont.)

SOV/2215

19

Checking Optical Dividing Heads

Mass and Density Measurements (Rudo, N.M., Editor, Candidate of
Technical Sciences)

Smirnova, N.A. (VNIIM). Studying Conditions for Securing Maximum
Sensitivity of Equal-arm Prismatic Balances 21

Morozova, I.N. (VNIIM). Experimental Study of Reasons for Variations in the Readings of Analytical Balances 22

Kokosh, G.D. (VNIIM). Designing Model Balances of the First Class With a Range of 2g and Value of Decisions of 0.002 mg 23

Rudo, N.M. (VNIIM). New VNIIM Balance for Checking Standards of Weight 23

Tyutikova, M.I. (VNIIM). Developing Methods and Means of Checking Balances With a Load Range of 2 mg or Less 25

Chinarev, A.I., and G.A. Gol'dshteyn (MGIMIP); G.A. Cherkasov, V.V.
Card 6/27

| | |
|---|----------|
| Scientific Research Abstracts; (Cont.) | SOV/2215 |
| Gorodetskiy, and A.S. Shneyderman (NIIvesprom). Studying the Reasons for Variations of Readings of Car Scales | 26 |
| Marks, L.A., and S.N. Chernets (KhGIMIP). Developing a Simplified Method for Checking Small Weights Used in Analysis | 28 |
| Nalimov, P.A. (VNIIM Thermostatic Apparatus for Metrological Work in Fluid and Solid Density Measurements | 29 |
| Time and Frequency Measurements (Tovchigrechko, S.S., Editor, Can- didate of Technical Sciences; Tkhorzhevskiy, O.A., Candidate of Technical Sciences) | |
| Tovchigrechko, S.S. (VNIIM). Studying Astronomical Pendulum Clocks of the "Etalon" Plant and Reducing the Variations From Their Daily Rate to ± 0.003 Seconds | 32 |
| Solov'yeva, L.A. (VNIIM). Temperature Studies of Astronomical Pendulum Clocks of the AChE Type | 33 |

Card 7/27

| | |
|--|----------|
| Scientific Research Abstracts; (Cont.) | SOV/2215 |
| Tupitsyn, O.V. (VNIIIFTRI). Studying and Improving Astronomical Pendulum Clocks Made by the "Etalon" Plant | 33 |
| Sapel'nikov, M.D., F.M. Fedchenko, and V.N. Dudarchik (KhGIMIP). Studying Astronomical Pendulum Clocks With Isochronous Suspension | 35 |
| Tovchigrechko, S.S., A.D. Zagatina, L.A. Solov'yeva, and S.I. Tovropin (VNIIM). Studying Temperature Coefficients of the Elongation of Invar Rods Produced by the "Etalon" Plant | 36 |
| Alekseyev, S.I. (VNIIM) Studying the Pivots of the VNIIM Transit Instrument "A" | 36 |
| Tovchigrechko, S.S. (VNIIM). Studying a Model of the Vernier Clock | 38 |
| Stepanov, V.S. (VNIIM) Cylindrical Chronograph for Recording the Running of Clocks | 38 |

Card 8/27

Scientific Research Abstracts; (Cont.)

SOV/2215

- Pruss, K.V., and V.I. Potapov (VNIIIFTRI). Printing Chronograph of the PKh-2 Type With a Reading Accuracy of 0.001 Second 39
- Potapov, V.I. (VNIIIFTRI). Apparatus of the UPS-2 Type for Automatic Feeding of Time Signals 40
- Veysbrut, A.D., and V.K. Potekhin (VNIIM). Frequency Convertor for Receiving Rhythmic Time Signals on the Chronoscope by the Continuous Readout Method 41
- Tovchigrechko, S.S. (VNIIM). Receiving Rhythmic Time Signals on a Chronoscope With a Synchronous Motor Fed by a 1016,(6)-cycle Source 42
- Tovchigrechko, S.S., and B.A. Kamochkin (VNIIM). Improving the Synchronous Chronoscope 43
- Kamochkin, B.A. (VNIIM). Instrument for Receiving Electrical Pulses From Contactless Chronometers 44

Card 9/27

| | |
|--|----------|
| Scientific Research Abstracts; (Cont.) | SOV/2215 |
| Tovchigrechko, S.S. (VNIIM). Studying Recurrent Errors of Micrometric Screws of Level Triers | 45 |
| Solov'yeva, L.A. (VNIIM). Studying the Curvature of the Tube of Levels | 45 |
| Bryzzhev, L.D., V.F. Lubentsov, S.M. Okhotina, and P.A. Shpan'on (KhGIMIP). Widening the Spectrum of Standard Frequencies Produced by the KhGIMIP Standard Frequency Unit to 10^{10} Cycles per Second | 47 |
| Smagin, A.G. (VNIIFTRI). Quartz Resonator With a Quality Factor of $12.5 \cdot 10^6$ | 48 |
| Grinenko, I.V., Ye.D. Novgorodov, N. Kh. Neparidze, T.S. Gumenyuk, Yu. M. Libin, and A.I. Samoylovich (KhGIMIP). Developing Quartz Elements of Oblique Cut | 49 |
| Bryzzhev, L.D., M.D. Sapel'nikov, V.N. Titov, F.F. Yestaf'yev, and V.I. Turenko (KhGIMIP). Developing and Studying Simple and Suitable Oscillators and Convertors of High Stability for Time and Card 10/27 | |

Scientific Research Abstracts; (Cont.)

SOV/2215

50

Frequency Service

Artem'yeva, Ye.V. (VNIIFTRI). ISCh-1 and ISCh-2 Type Instruments
for Integral Comparison of Electric Oscillation Frequencies 51

Veysbrut, A.D. and V.K. Budin [Deceased] (VNIIM). Automatic
Device for Controlling the Frequency Comparater Unit of Gene-
rators 52

Paliy, G.N. (VNIIFTRI). Standard Frequency Meter (for checking
purposes) for Frequency Transmission Through a High-power Short-
wave transmitter 53

Bryzzhev, L.D., A.Ya. Leykin, I.V. Baulin, and Ye.Z. Orlov
(KhGIMIP). Determining the Frequency Values of 3-3 Ammonia
Absorption Lines 54

Hardness and Strength Requirements (Dolinskiy, Ye.F., Candidate
of Technical Sciences)

Savitskiy, F.S., and I.A. Zakharov (Sverdlovsk Branch of VNIIM).
Card 11/27

| | |
|--|----------|
| Scientific Research Abstracts; (Cont.). | SOV/2215 |
| Studying the Effect of Temperature on the Parameters of Cone Imprint | 56 |
| Savitskiy, F.S., and B.A. Vandyshev (Sverdlovsk Branch of VNIIM) Studying Hardness Distribution Around the Ball Imprint in Hardness Tests | 57 |
| Vandyshev, B.A. (Sverdlovsk Branch of VNIIM). Studying Instruments for Impact Hardness Tests and Drawing up Instructions for Checking Them | 57 |
| Zhokhovskiy, M.K. and V.N. Gramenitskiy (MGIMIP). Standard Hydraulic Stationary Dynamometers of the Second Class for the 5 and 50 ton Ranges | 58 |
| Beyl', S. Ya. (VNIIM) Assembly and Alignment of Stationary Dynamometers for Tension and Compression Tests to 10,000 and 100,000 kgf | 60 |
| Savitskiy, F.S., B.A. Bandyshev, and V.V. Skobelin (Sverdlovsk Card 12/27 | |

Scientific Research Abstracts; (Cont.)

SOV/2215

Branch of VNIIM). Effect of Rigidity of the Dynamometer of
Testing Machines on the Falling Portion of the Extension Diagram 60

Vandyshev, B.A., and F.S. Savitskiy (Sverdlovsk Branch of VNIIM).
Determining Yield Points Without Using a Test Piece 61

Zaytsev, G.P., S.A. Smolich, L.V. Beloruchev, and I.N. Tylevich
(VNIIM). Developing a Method for the Determination of Yield
Points and Uniform Elongation Without Tensile Tests (the two-
cone method)

Pressure Measurements (Dolinskiy, Ye.F., Editor, Candidate of Tech-
nical Sciences)

Gramenitskiy, V.N. (MGIMIP). Pressure Gage for Accurate Measuring
in the Range of 0 to 4 Kilograms per Second per Square Centimeter 63

Burmakina, O.P. (Sverdlovsk Branch of VNIIM). Studying Pressure
Measurement Errors by Means of a Depression Meter of the Komarov-
Geskin Type 64
Card 13/27

Scientific Research Abstracts; (Cont.)

SOV/2215

- Pedan, M.S. (VNIIM). Determining the Coefficients of Standard High-speed (Pitot static) Tubes by the Absolute Method 65
- Zolotykh, Ye.V. (MGIMIP). Designing a High-pressure Viscosimeter and Studying the Dependence of Fluid Viscosity on Pressure up to 5,000 kgf/cm² 66
- Malyarov, G.A. (VNIIM). Determining Water Viscosity at 20°C 68
- Temperature Measurements (Kondrat'yev, G.M., Editor, Professor)
- Strelkov, P.G., A.S. Borovik-Romanov, and M.P. Orlova (VNIIFTRI). Practical Temperature Scale in the Range 90-100° K 70
- Borovik-Romanov, A.S., M.P. Orlova, and N.M. Kreynes (VNIIFTRI). Determining Deviations from Curie's Law at Low Temperatures for the Purpose of Finding Methods for the Construction of a Magnetic Scale of Temperatures Below 10°K 71
- Pilipchuk, B.I., and S.I. Sinel'shchikova (VNIIM). Interpolation Card 14/27

Scientific Research Abstracts; (Cont.)

SOV/2215

Formula for a Platinum Resistance Thermometer in the Interval
-183 - 0°C

72

Aliyeva, F.Z., B.N. Oleynik, and N.Z. Dolgiy [Deceased] (VNIIM).
Producing and Studying the Triple Point of Water

73

Kondrat'yev, G.M., F.Z. Aliyeva, A.N. Gordov, G.I. Klimovich,
Yu. F. Fal'berg, and A.A. Dolinskaya (VNIIM). International Com-
parison of Resistance Thermometers

74

Rudnaya, A.I. (Sverdlovsk Branch of VNIIM). Developing a Method
and Studying the Apparatus for Calibrating and Checking Radiative
Pyrometers in the 150-800°C Temperature Interval

74

Kantor, P.B., and Ye.S. Shpigel'man (KhGIMIP). Studying Errors
in Reproducing the 900° -2000°C Interval of the International
Scale of Temperatures and Improving the Accuracy of the Checking
System

75

Finkel'steyn, V. Ye., and Ye.S. Shpigel'man (KhGIMIP). Designing
Card 15/27

Scientific Research Abstracts; (Cont.)

SOV/2215

Standard Optical Pyrometers for Measuring Temperatures up to
6000° C

76

Krasovitskaya, R.M. (KhGIMIP). Investigation of Radiation Pyro-
meters in Order to Increase the Accuracy of Their Calibration

77

Kandyba, V.V., V.A. Kovalevskiy, Ye. A. Lupashko, G.L. Iosel'son,
and P.I. Ivanov (KhGIMIP). Using Objective Photometry in the
Reproduction of Temperature Scales by the Optical Method in the
1063-3000° C Temperature Range

77

Lapina, E.A. (VNIIM). Designing and Studying Standard Tungsten
Pyrometer Lamps

78

Lapina, E.A., A.N. Gordov, and I.I. Kirenkov (VNIIM). Designing
a Standard Color Pyrometer

79

Gordov, A.N., I.I. Kirenkov, and E.A. Lapina (VNIIM). Developing
a New Method of Checking Optical Pyrometers

79

Card 16/27

Scientific Research Abstracts; (Cont.)

SOV/2215

Gordov, A.N., I.I. Kirenkov, and E.A. Lapina (VNIIM). Constructing a Set of Standard Tungsten Pyrometer Lamps Calibrated for Color Temperature 80

Ergardt, N.N. (VNIIM). Constructing Standard Thermocouples of High-purity Materials and Studying Their Calibration Characteristics 81

Kandyba, V.V., V.A. Kovalevskiy, V.Ye. Finkel'shteyn, and G.L. Iosel'son (KhGIMIP). Designing and Studying an SPK-1 Objective Spectrometer for the Calibration of Tungsten Pyrometer Lamps 82

Oleynik, B.N. F.Z. Aliyeva, N.A. Doligiy [Deceased], Z.V. Dmitriyeva, A.A. Dolinskaya, and Yu.F. Fal'berg (VNIIM). Investigating Sets of Mercury Thermometers of a New Type With Value of Division of 0.01°C in the $0\text{--}60^{\circ}\text{C}$ Temperature Range 84

Sungurov, V.I., and T.V. Lapshina (Sverdlovsk Branch of VNIIM). Investigation of Soviet Tungsten Pyrometer Lamps 85

Card 17/27

Scientific Research Abstracts; (Cont.)

SOV/2215

- Kandyba, V.V., V.Ye. Finkel'shteyn, A.T. Chekirda, and I.A. Rumyantsev (KhGIMIP). Measuring the Free Combustion Temperature of Basic Industrial Fuels 86
- Levin, G.M., A.K. Semenova, and V.I. Vol'mir (Sverdlovsk Branch of VNIIM). Studying Characteristic Curves of Thermal Inertia in Thermal Sensing Devices 87
- Gomel'skiy, K.Z. (Sverdlovsk Branch of VNIIM). Determining Thermal Capacity of Solids at High Temperatures 87
- Levin, G.M., and E.M. Malkova (Sverdlovsk Branch of VNIIM). Studying Methods for Determining Thermal Characteristics of Materials on the Basis of the Theory of Regular Thermal Conditions 89
- Iosel'son, G.L., and B.S. Estrin (KhGIMIP). Developing and Creating an Automatic Thermostat for Checking Standard Thermometers With Values of Division 0.1°C or Less 90

Card 18/27

Scientific Research Abstracts; (Cont.)

SOV/2215

Electric and Magnetic Measurements (Shramkov, Ye.D., Editor, Professor)

Bykov, M.A. (MGIMIP). Apparatus for Checking Standard Inductance Coils and Capacitors and for Measuring the Time Constant of Nonreactive Resistors for 400-500 Ohm

91

Bykov, M.A. (MGIMIP). Apparatus for Measuring the Time Constant of Four-terminal Nonreactive Resistors for 0.001 to Several Ohms

93

Grokholskiy, A.L. (NGIMIP). Developing a Standard Measuring Unit, a Set of Standard Capacitance Measures, and a Method for Checking Working Measures of Capacitance From 1 to 50 pf at Frequencies up to 100 Megacycles, and up to 450 pf at Frequencies up to 50 Megacycles

95

Rudnyy, N.M., A.Z. Veksler, A.A. Chukhlantsev, and R.G. Abel's (VNIIM). Using a Single Bridge for Checking Shunts and Low-resistance Gages

96

Kapnik, M.Sh. (MGIMIP). Apparatus for Checking Standard Ammeters

Card 19/27

Scientific Research Abstracts; (Cont.)

SOV/2215

and Voltmeters at High Frequencies

97

Bezikovich, A.Ya. (VNIIM). Errors of Electrodynamic Wattmeters
at High Frequencies

100

Lubentsov, V.F., S.M. Okhotina, and P.A. Shpan'on (KhGIMIP).
Apparatus for Checking Tube Voltmeters

101

Rumyantsev, A.S., and Ye. P. Dubovik (VNIIM), and A.A. Chukh-
lantsev (Sverdlovsk Branch of VNIIM). Developing Methods and
Standard Apparatus for Testing Direct-Current Transformers Type
I-58 Under Operating Conditions at 70 Kiloamperes

102

Lizogub, M.S., V.I. Zingerman, and Ye. Ye. Bogatyrev (KhGIMIP).
Developing and Studying Apparatus for Measuring Magnetic Fields
by the Nuclear Magnetic Resonance Method

102

Rudnyy, N.M., A.Z. Veksler, and A.I. Bulanova (Sverdlovsk Branch
of VNIIM). Method of Measuring Hysteresis Losses and Eddy Currents
in Double Magnetization

104

Card 20/27

Scientific Research Abstracts; (Cont.)

SOV/2215

Rudnyy, N.M., and A.I. Bulanova (Sverdlovsk Branch of VNIIM). Distinguishing Losses Between Hysteresis and Eddy Currents in Electrical Steel 105

Rudnyy, N.M., A.I. Bulanova, and A.Z. Veksler (Sverdlovsk Branch of VNIIM). Studying the Effect of the Scattering Current on Errors in Measuring Losses and on the Main Magnetization Curve 106
Optical Measurements and Photometry (Romanova, M.F., Editor, Professor)

Strakun, G.I. (VNIIM). Studying Lenses for Checking Diopter Meters 107

Strakun, G.I. (VNIIM). Effect of Aberrations of Objective Lenses Used to Photograph Interference Patterns on the Distribution of Illumination over the Images of Rings of Equal Inclination 107

Strakun, G.I. (VNIIM). Requirements of Optical Systems Used to Photograph Rings of Equal Inclination, and Principles for Calculating a System Satisfying These Requirements 109
Card 21/27.

Scientific Research Abstracts; (Cont.)

SOV/2215

Yustova, Ye. N. (VNIIM). On the Accuracy of Conventional Calibrations of Colorimetry for Three Colors and Four Chromaticities 110

Yustova, Ye. N. (VNIIM). Studying Spatial Variation of Color Perception Under the Effect of Eye Adaption 111

Saburenkov, A.M. (VNIIM). Measuring Variable Values of Light 112

Saburenkov, A.M. (VNIIM). Light Measurements for Fluorescent Lamps 113

Physicochemical Measurements (Romanova, M.F., Editor, Professor)

Rempel', S.I. (Sverdlovsk Branch of VNIIM). Designing a Potentiometric Apparatus for Measuring pH 115

Aleksandrov, V.A., Ye. V. Shestopalova, and Z.N. Sungurova (Sverdlovsk Branch of VNIIM). Developing a Quantitative Photocolorimetric Micromethod for the Determination of Phosphorus and Manganese in Cast Iron and Steel 116

Card 22/27

Scientific Research Abstracts; (Cont.)

SOV/2215

Aleksandrov, V.A., I.L. Morozova, L.A. Orlova, and Ye. V. Shestopalova (Sverdlovsk Branch of VNIIM) Studying a Potentiometric Method for the Determination of Manganese and Chromium and a Hydrogen Method for the Determination of Sulfur in Standard Chemical Composition Samples of Cast Iron and Steel 116

Aleksandrov, V.A., I.L. Morozova, and L.G. Piotrkovskaya (Sverdlovsk Branch of VNIIM). Studying Methods for the Determination of Small Amounts of Carbon in Ferrous Metals 116

Morozova, I.L., and L.G. Piotrkovskaya (Sverdlovsk Branch of VNIIM). Finding the Most Accurate Method for the Determination of Sulfur in Ferrous Metals 117

Piotrkovskaya, L.G., I.L. Morozova, L.A. Orlova, and Ye. V. Shestopalova (Sverdlovsk Branch of VNIIM). Studying Chemical Analysis Methods for the Determination of Copper, Zinc, and Manganese in Copper-Zinc Alloys 118

Malkova, E.M., R.I. Gutkina, and G.A. Teploukhova (Sverdlovsk)

Card 23/27

- Scientific Research Abstracts; (Cont.) SOV/2215
- Branch of VNIIM). Developing a Method for the Purification of Antimony 118
- Gutkina, R.I. (Sverdlovsk Branch of VNIIM). Determining the Composition of Spectral Reference Samples 119
- Measurements in Radio Engineering (Rabinovich, B.Ye., Editor, Candidate of Technical Sciences)
- Stoyakina, O.V. (VNIIM). Studying the Sources of Error in the Resonance Method of Measuring Dielectric Permeability and Tangent of the Angle of Dielectric Losses 121
- Rabinovich, B. Ye., and A.M. Fedorov (VNIIM). Developing and Studying a Standard Voltmeter for Checking Vacuum-tube Voltmeters 121
- Rabinovich, B. Ye., and O.V. Stoyakina (VNIIM). Standard Apparatus for Checking Generators of Standard Signals by the Output Voltage or Power and for Checking Attenuators Produced as Single Instruments 123

Card 24/27

Scientific Research Abstracts; (Cont.) SOV/2215

Strelkova, Ye.I., and T.B. Morozova (VNIIM). Studying Checking Methods for Absorption-type Attenuators With Attenuation to 30 db in the Three Centimeter Wave Range 125

Leykin, A.Ya, S.M. Okhotina, P.A. Shpan'ion, and B.K. Karavashkin. (KhGIMIP). Developing a Method for Checking GSS-6-Type Generators by a voltage to 1 microvolt and by the Factor of Modulation 128

Kshimovskiy, V.V. (VNIIM). Apparatus for Checking and Calibrating Generators of Undamped Electric Oscillations of Ultrahigh frequency 130

Otryashenkov, Yu.M., and A.A. Gordinskiy (VNIIIFTRI). Developing a Method and Apparatus for Measuring Time-varying Parameters of Delay Lines 131

Osipov, I.I., and L.S. Neustroyev (VNIIIFTRI). Developing Methods and Standard Apparatus for Measuring Time-varying Parameters of Pulses 131

Buzinov, V.S., and L.A. Pereverzev (VNIIIFTRI). Developing Methods Card 25/27

- Scientific Research Abstracts; (Cont.) SOV/2215
- and Apparatus for Checking Noise Meters in the 0.16 - 20 Megacycle Range 132
- Acoustic Measurements (Brodskiy, A.D., Editor, Candidate of Technical Sciences)
- Kaluzhinova, N.A. (VNIIM). Extending the Method of Measuring Sound Pressures up to 20 - 100 Bars at High and Low Frequencies by the Standing-Wave Method 134
- Krishtalevich, A.N. (VNIIM). Developing the Calibration of Microphones "in the Free Field" by the Reciprocity Method 135
- Rusakov, I.G., and A.N. Krishtalevich (VNIIM). Developing Quality Control Methods for Microphones and Telephones 136
- Krishtalevich, A.N. (VNIIM). Developing Methods for Determining the Frequency Characteristics of Loud-speakers and for Testing Microphones by Directivity 137
- Kaluzhinova, N.A. (VNIIM). Developing the Method of Checking Card 26/27

Scientific Research Abstracts; (Cont.)

SOV/2215

Noise Meters Under Conditions of the Noise and Speech Spectrum 139

AVAILABLE: Library of Congress

Card 27/27

TM/jb
11-2-59

MARKOV, Arkadiy L'vovich; VOLOSEVICH, Fedor Pavlovich; ABADZHI, K.I.,
inzh., retsenzent; BRZEZINSKIY, M.L., kand. tekhn. nauk,
red.; CHFAS, M.A., red. izd-va; SOKOLOVA, ~~name~~, tekhn. red.

[Brief manual for inspectors and master workers of a
machinery plant] Kratkii spravochnik kontrol'nogo mastera
mashinostroitel'nogo zavoda. Moskva, Mashgiz, 1961. 287 p.

(MIRA 15:2)

(Machinery industry) (Production control)

BRZHEZINSKIY, M.L.

Interference measurement of hatched line standards. Izm.tekh.
no.2:16-18 F *63* (MIRA 16:2)
(Interferometry)

ABADZHI, K.I.; BOYTSOV, A.N.; VOLOSEVICH, F.P.; GOHERMAN, P.N.;
KEMPINSKIY, M.M.; KUTAY, A.K.; MARINSKIY, F.I.; ODING,
G.A.; TAYTS, B.A.; RUBINOV, A.D.; SHTYURMER, G.A.;
BRZHEZINSKIY, M.L., kand. tekhn. nauk, retsenzent;
SHALAYEVSKIY, O.V., red.; LEYKINA, T.L., red.izd-va;
SPERANSKAYA, O.V., tekhn. red.

[Handbook on production control in the machinery industry]
Spravochnik po proizvodstvennomu kontroliu v mashinostro-
enii. Izd.2., perer. i dop. Moskva, Mashgiz, 1964. 748 p.
(MIRA 17:3)

"APPROVED FOR RELEASE: 06/09/2000

CIA-RDP86-00513R000307210002-6

YURASOVA, V. Ye.; LEVIKINA, L. M.; ERZHEZINSKIY, V. A.

"Elektronenmikroskopische Untersuchung dunner Halbleiterschichten von
Typ $A_{III}B_V$, erzeugt mittels Kathodenzerstaubung."

report submitted for 3rd European Regional Conf, Electron Microscopy,
Prague, 26 Aug-3 Sep 64.

APPROVED FOR RELEASE: 06/09/2000

CIA-RDP86-00513R000307210002-6"

L 12923-65 EWT(1)/EWG(k)/EWT(m)/T/EWP(t)/EWP(b) Pz-6 IJP(c) JD/JG/AT
SSD/AFWL/ASD(a)-5/RAEM(a)/ESD(gs)/ESD(t)

ACCESSION NR: AP4045295

S/0048/64/028/009/1431/1438

AUTHOR: Yurasova, V.Ye.; Levitskina, L.N.; Brzhezinskij, V.A.

TITLE: Sputtering of single crystals of III-V type semiconductors Report, Tenth Conference on Cathode Electronics held in Kiev, 11-18 Nov 1963/

SOURCE: AN SSSR. Izvestiya. Seriya fizicheskaya, v.28, no.9, 1964, 1431-1435

TOPIC TAGS: cathode sputtering, single crystal, semiconductor, indium antimonide, gallium arsenide

ABSTRACT: Sputtering of single crystals of InSb and GaAs was investigated. These materials were chosen for study partly because of their technical importance, and partly to extend our knowledge of sputtering anisotropy to more complex crystal structures than the simple cubic structures previously investigated. It was also desired to obtain information concerning the relative sputtering rates of the different components of a compound. A sphere cut from a single crystal of the material under investigation was held at a negative potential of 1 to 3 KV in a plasma (pressure - 10^{-3} mm Hg; ion density - 10^{12} cm $^{-3}$; composition - unspecified), and the sputtered material was collected on the inner wall of a spherical glass shell sur-

1/3

L 12923-65

ACCESSION NR: AP4045293

rounding the sample. The current density was of the order of 1 mA/cm^2 , and the duration of the sputtering was 30' min for InSb and 5 to 6 hr for GaAs. The composition of the sputtered material, which was deposited mainly in the direction of certain crystallographic axes, was determined chemically, spectroscopically, and by means of electron diffraction. In addition to the usual circular spots of sputtered material, hexagonal spots were formed. These were centered in the [111] directions, and their corners were in the $\bar{1}\bar{1}0$ and $\bar{1}\bar{1}4$ directions. The hexagonal spots were more clearly developed for InSb than for GaAs. In the [111] directions the pattern was different: the [111] spots were very weak and the [114] spots were absent. It was determined by auxiliary experiments with dendritic crystals that the [111] directions, giving the hexagonal spots, correspond to the indium faces of the crystal. The general background of sputtered material and the spots formed in the [111] directions were found to consist only of the compound InSb. The hexagonal spots consisted also mostly of InSb, but they contained admixtures of free In in the [111], [110] and [114] directions. Free In was also found in the deposit in the $\bar{1}\bar{1}0$ (antimony) direction of dendritic crystals. The results are discussed in terms of the focusing effect in collisions within crystals (R.H.Silsbee, J.Appl.Phys.28,1246, 1957). It is concluded that not only the focusing effect, but also collisions near the surface are important. No satisfactory explanation was found for the difference

2/3

| | |
|---|-----------------|
| L 12923-65 ACCESSION NR: AP4045295 | |
| between the patterns in the [111] and [111] directions, nor for the preferential sputtering of indium in the [110] direction. "In conclusion, we express our gratitude to G.V.Spirvak for his interest in the work and for valuable remarks, to M.B. Mirgolovskaya, M.Ya.Dashevskiy and Ye.G.Valyashko for making the dendritic InSb available and for valuable consultations, and also to V.V.Shakhmanov for his assistance in the electron diffraction studies." Orig.art.has: 6 figures. | |
| ASSOCIATION: Fizicheskiy fakultet Moskovskogo gosudarstvennogo universiteta (Physics Department, Moscow State University) | |
| SUBMITTED: OO | ENCL: OO |
| SUB CODE: EC, SS | NR REF Sov: 003 |
| OTHER: 008 | |
| 3/3 | |

L-10613-65 EWT(1)/ENG(k)/EWT(m)/EPA(sp)-2/EPT(n)-2/EPA(w)-2/T/EWA/EWP(b)... Pu-4/
Pz-6/Pab-24 IJP(c)/RAEM(a)/ASD(a)-5/AFW/ESD(t)/RAEM(t) AT/JD

ACCESSION NR: AP4045304

S/0048/84/028/009/1478/1482

AUTHOR: Brzhezinaskiy, V.A.; Yurasova, V.Ye.

TITLE: Some peculiarities of sputtering¹⁾ of metals connected with depth of formation
of the recoil atoms /Report, Tenth Conference on Cathode Electronics held in Kiev,
11-18 Nov 1963/

SOURCE: AN SSSR. Izvestiya. Seriya fizicheskaya, v.28, no.9, 1964, 1478-1482

TOPIC TAGS: cathode sputtering, single crystal, polycrystal, copper

ABSTRACT: The relative rate of sputtering of copper single crystals was measured as a function of the angle between the direction of the incident ions and the [110] axis of close packing, and the sputtering rate of polycrystalline copper was determined as a function of the temperature and the incident ion energy. The measurements were undertaken to check qualitative conclusions drawn from the focused collision theory of sputtering (R.H. Silsbee, J.Appl.Phys.28,1246,1957). The measurements with single crystals were performed with spherical specimens and with cylinders cut with their bases parallel to the (100) planes. The spherical specimens were exposed to a hydrogen or krypton plasma at 10^{-3} mm Hg while being held at a negative potential of

1/3

L 10613-65

ACCESSION NR: AP4045304

1 to 6 kV. The relative rates of sputtering of different parts of the surface were determined by measuring the shape and dimensions of the specimen after exposure. It was found that sputtering was most rapid in those parts of the specimen at which a [110] axis was normal to the surface. Since there are 12 such locations on the sphere, it was possible to determine the sputtering rate only for rather small inclinations of the [110] axis to the normal. The cylindrical specimens were bombarded locally by a 20 keV neon ion beam incident normal on the cylindrical surface. The specimen was rotated about its axis, and the sputtering rates for different orientations were determined from the density of the sputtered material deposited on a mica surface. With this arrangement it was possible to measure sputtering rates at much larger inclinations of the normally incident beam to the [110] axis. The sputtering rate was found to decrease rapidly with increasing inclination. The polycrystalline samples were sputtered at 200 and 800°C in a hydrogen plasma at potentials from 1 to 6 kV and by neon ion beams of energies from 15 to 30 keV. The sputtering rate was determined from the density of sputtered material deposited on glass. It was found that the maximum sputtering rate occurred for a lower incident ion energy at the higher temperature. Neither the curves nor the extent of the shift of the maximum are given. The results are discussed briefly. The reduction of the sputtering rate when the [110] axis is highly inclined to the normal to the crystal sur-

2/3

L 10613-65

ACCESSION NR: AF4045304

face is ascribed to the greater distance along this axis that the chain of focused collisions, originating at a given depth within the crystal, must propagate in order to reach the surface. The effect of elevated temperature is attributed to an increased scattering of these chains. "In conclusion, the authors express their deep gratitude to Prof. G.V. Spivak for his constant interest in the work and for numerous valuable remarks, to Engineers Ye.N. Rybak and A.I. Aksenov for assistance in the work, and also to scientific coworkers I.V. Telegina and V.V. Zubenko for determining the orientation of the copper crystals." Orig.art.has: 1 formula, 3 figures and 1 table.

ASSOCIATION: Fizicheskiy fakul'tet Moskovskogo gosudarstvennogo universiteta (Physics Department, Moscow State University)

SUBMITTED: OO

ENCL: OO

SUB CODE: EC,NS

NR REF Sov: 003

OTHER: 010

3/3

ACCESSION NR: AP4043618

S/0056/64/047/002/0473/0475

AUTHORS: Yurasova, V. Ye.; Brzhezinskiy, V. A.; Ivanov, G. M.

TITLE: Anisotropy of reflection of argon ions from single crystal copper

SOURCE: Zh. eksper. i teor. fiz., v. 47, no. 2, 1964, 473-475

TOPIC TAGS: argon, copper, anisotropy, crystal lattice structure, single crystal, cubic crystal, ion bombardment

ABSTRACT: This investigation was undertaken to check on an earlier grapho-analytic calculation made by one of the authors (V. Ye. Yurasova, Izv. AN SSSR, seriya fiz., v. 28, 9, 1964). According to this calculation, the projections of the reflected-ion-yield maxima on the (100) plane should lie symmetrically on both sides of each of the close-packing directions [110] and [100] in that plane, and the angular separation between them should be ~45°; the reflection

Card 1/4

ACCESSION NR: AP4043618

minima should correspond to the directions [110] and [100]. To check this hypothesis, the angular distribution was investigated of the ions reflected following bombardment of a (100) surface of a copper single crystal with argon ions at ~1.5 keV energy. The test setup is briefly described. The results have shown that the regularity of the crystal lattice influences the intensity of the ion reflection. The minimum of the reflection is observed in the direction of close atomic packing [110] and [100], with the ion reflection having a maximum between these two directions. The results obtained are in good agreement with the conclusions of the earlier grapho-analytic calculations and can be interpreted by assuming that the ions penetrate open channels along the close-packing directions in the face-centered cubic lattice. Orig. art. has: 2 figures.

ASSOCIATION: Moskovskiy gosudarstvennyy universitet (Moscow State University)

Card 2/4

ACCESSION NR: AP4043618

SUBMITTED: 20Mar64

ENCL: 01

SUB CODE: NP, SS

NR REF SOV: . 001

OTHER: 006


Card 3/4

ACCESSION NR: AP4043618

Left - experimental set-up

I - ion source, K - collector
C - grid, O - specimen
DMY-4 - electrometric amplifier

Right - distribution of Ar ions reflected from the (100) surface of a copper single crystal, relative to the horizontal angles. Dashed lines show close-packing direction in the (100) plane



L 21995-66 EWT(m)/EWP(t) IJP(c) JD

ACC NR: AP6006967 SOURCE CODE: UR/0368/66/004/002/0174/0176

AUTHOR: Mikhaylin, V. V.; Brzhezinsky, V. A.

ORG: none

TITLE: The production of thin films of activated CaS by the cathode sputtering method

SOURCE: Zhurnal prikladnoy spektroskopii, v. 4, no. 2, 1966, 174-176

TOPIC TAGS: thin film, calcium sulfide, crystal phosphor, luminescence spectrum

ABSTRACT: In view of the interest shown in the structure of the fundamental absorption of crystals in the group IIA-VIB, there arose a need for the production of thin films of these substances with a layer less than 0.2μ thick. The present authors use the method of cathode sputtering for the production of CaS, one of the compounds of the group. The procedure and the equipment used in the experiments are described. Experiments on the transference of a calcium sulfide-based crystal phosphor (CaS-Bi, Mn) showed that the film produced after annealing in a vacuum at 400–600°C, on excitation in the 270 nm region exhibited luminescence similar to that of the initial substance. This confirms the possibility of producing thin luminescent films of multicomponent systems by the method

Card 1/2

35
13
UDC 535.34

L 21995-66

ACC NR: AP6006967

employed. The method may also be used successfully for the production of thin films and other compounds in the IIA-VIB group. Orig. art. has: 2 figures.

SUB CODE: 07, 20 / SUBM DATE: 14Apr65 / ORIG REF: 004 / OTH REF: 003

Card 2/2 FV

BRZHEZHINSKIY, Yu., aspirant

The fleet should use combined professions. Mor. flot 22 no.8:39
Ag '62. (MIRA 15:7)

1. TSentral'nyy nauchno-issledovatel'skiy institut morskogo
flota.

(Merchant seamen)

BRZHEZHINSKIY, Yu., mladshiy nauchnyy sotrudnik

Further improvement of the bonus system for crews. Mor. flot. 25
no. 2:19-20 F '65. (MIRA 18:4)

1. TSentral'nyy nauchno-issledovatel'skiy institut morskogo flota.

BRZHEZHINSKI, Yu.I.

Results of the first stage of regulating the salaries of
the crews of the merchant marine. Trudy TSNIIMF no.61:
88-99 '64.

(MIRA 19:1)

"APPROVED FOR RELEASE: 06/09/2000

CIA-RDP86-00513R000307210002-6

~~PPZHEZTTSKAM, L. M.~~

Dissertation: "Investigation of the Chemical Composition of Oil Fractions of Nebit Dag Paraffin Petroleum." Cand Chem Sci, Azerbaijan State U imeni S. M. Kirov, 12 May 54. Bakinskiy Rabochiy, Baku, 9 May 54.

SO: SUM 284, 26 Nov 1954

APPROVED FOR RELEASE: 06/09/2000

CIA-RDP86-00513R000307210002-6"

GUKEHAN, L.A.; BRZHEZITSKAYA, L.M.

Oils obtained from the Nebit-Dag paraffin-base crude. Izv. vys.
ucheb. zav.; neft' i gaz no. 3:89-95 '58. (MIRA 11:7)

1. Azerbaydzhanskiy industrial'nyy institut im. M. Arizbekova.
(Ashkhabad District--Petroleum--Analysis)

MEKHTIYEV, S.D.; RZAYEV, M.I.; ABDULLAYEVA, L.R.; BRZHEZITSKAYA, L.M.

Isomerization of halo-substituted alkanes under the action of
aluminum chloride. Azerb.khim.shur. no.5:85-89 '62. (MIRA 16:5)
(Paraffins) (Isomerization) (Aluminum chloride)

MEKHTIYEV, S.D.; BRZHEZITSKAYA, L.M.; KULIYEVA, F.T.

Condensation of tertiary butyl chloride with allyl chloride.
Azerb.khim.zhur. no.4:14-16 '65.

(MIRA 18:12)

1. Azerbaydzhanskiy institut nefti i khimii imeni Azizbekova.
Submitted February 1, 1965.

S/152/62/000/006/001/001
B126/B110

AUTHORS: Mekhtiyev, S. D., Brzhezitskaya, L. M., Sadykhova, F. N.

TITLE: Investigation of the reaction of ethylene condensation with monochlorides of butane and pentane

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Neft' i gaz, no. 6, 1962, 61 - 66

TEXT: The object of these experiments was to obtain primary monochlor-substituted alkanes. The initial material used was tertiary amyl chloride, tertiary butyl chloride, isobutyl chloride and ethylene. Optimum conditions for the condensation of tertiary amyl chloride with ethylene were established as follows: temperature -50°C, at which a yield of 81% is obtained; amount of catalyst 9% of initial chloride; reaction period 1.5 hr. The influence of the molar correlation under these conditions was found to be such that the maximum yield occurs using an ample quantity of ethylene. The product of these condensation tests was a heptylchloride with a boiling range of 146.75 - 196.90°C. Optimum condensation occurred at 30°C, using 5% of catalyst in the case of tertiary butyl chloride with ethylene.

Card 1/2

Investigation of the reaction...

S/152/62/000/006/001/001
B126/B110

(which gave a maximum yield of 79%) and using 10% of catalyst in the case of isobutyl chloride with ethylene. The condensation product was a hexyl-chloride with a boiling point of 116 - 117°C. There are 7 figures and 2 tables. The most important English-language reference is: Bawn CEH J. Inst. Petrol, v. XI, v. 46, No. 443, 1960.

ASSOCIATION: Azerbaydzhanskiy institut nefti i khimii im. M. Azizbekova
(Azerbaydzhan Institute of Petroleum and Chemistry imeni M. Azizbekov)

SUBMITTED: January 19, 1962

Card 2/2

MEKHTIYEV, S.D.; RAMADANZADE, Z.M.; BRZHEZITSKAYA, L.M.; KAS'YANOV, V.V.;
MAMEDOVA, Sh.K.

Production of tertiary octylbenzoic acid by the liquid phase
oxidation of octyltoluene with atmospheric oxygen. Aserb. khim.
zhur. no. 2:51--54 '65. (MIRA 18:12)

1. Azerbaydzhanskiy institut nefti i khimii imeni M. Azizbekova,
Submitted January 19, 1965.

USSR / Woods and Weed Control.

N

Abs Jour : Ref Zhur - Biclogiya, No 1, 1959, No. 1947

Author : Brzhozitskiy, M. V.; Akhmedbeyli, G. A.
Inst : Not given

Title : Characteristics of Germination in Weed Seeds
Harmful to Cultivated Plants in Ansheronia
(Vegetables)

Orig Pub : Uch. zap. azerb. un-t, 1957, No 9, 65-70

Abstract : Annual and short-lived weeds predominate.
Perennials play a negligible role. Weed
seeds can be divided into 2 groups: long
latency with short-lived ones and latency
of short duration. These are typical of
annual weeds and partly of perennials. In
order to exterminate weeds which appear in the

Card 1/2

BRZHEZITSKIY, M.V.; AGADZHANOV, S.D.

Tournefortia sibirica L. Uch.zap.AGU no.3:45-58 ' 58.
(MIRA 12:1)
(Azerbaijan--Borage)

"APPROVED FOR RELEASE: 06/09/2000

CIA-RDP86-00513R000307210002-6

BRZHEZITSKIY, M.V.; DZHAFAROV, T.E.

Biological and ecological characteristics of mosses growing on the
Apsheron Peninsula. Uch.zap.AGU.Biol.ser. no.2:23-28 '59.
(MIRA 13:6)
(APSHERON PENINSULA--MOSSES)

APPROVED FOR RELEASE: 06/09/2000

CIA-RDP86-00513R000307210002-6"

BRZHEZITSKIY, M.V.; AKHMEDBEYLI, G.A.

Vineyard weeds of the Apsheron Peninsula. Uch. zap. AGU. Biol. ser.
no.3:3-7 '59. (MIRA 15:5)
(APSHERON PENINSULA--WEEDS)

BRZHEZITSKIY, M.V.; AKMEDBEYLI, G.A.

Weeds in vineyards of the village of Angikhoran in Shemakha District.
Uch.zap. AGU. Biol. ser. no.2:23-26 '60. (MIRA 14:3)
(Shemakha District—Weed control)

BRZHEZITSKIY, M.V.; MUSAYEVA, S.M.

Weeds infesting tea plantations of Lenkoran and Astara Districts in
Azerbaijan. Uch. zap. AGU. Biol. ser. no. 4:9-12 '60.

(MIRA 14:5)

(Lenkoran District—Tea) (Astara District—Tea)
(Weed control)

BR2 HEZITSKIY, P.K.

MAYSTRENKO, A.I.; ERZHEZITSKIY, P.K.

Experience in weed control on Kuban rice plantations. Zemledelie
6 no.3:81-85 Mr '58. (MIREA 11:4)
(Kuban—Rice) (Weed control)

STEPANOV, V.I. [deceased]; BRZHEZOVSkiY, A.I.

Reservoir rock properties of massifs of reef origin. Neftegaz.
geol. i geofiz. no.11:6-9 '64. (MIRA 18:3)

1. Vsesoyuznyy nauchno-issledovatel'skiy geologorazvedochnyy
neftyanoy institut, Moskva.

VOLKOV, M.V., dotsent; BERZHEZOVSKIY, M.M.

Neoplasms in childhood. Pediatriia 37 no.11:46-50 N '59.

(MIRA 13:3)

1. Iz kafedry detskoy khirurgii (zaveduyushchiy chlen-korrespondent
ANN SSSR zasluzhennyy deyatel' nauki RSFSR prof. S.D. Ternovskiy) II
Moskovskogo meditsinskogo instituta N.I. Pirogova na baze detskoy
bol'nitsy imeni N.F. Filatova (glavnyy vrach M.N. Kalugina).
(NEOPLASMS in inf. & child.)

~~BRZHEZYAK, Yu.D., inzh.~~

Mechanized line for the manufacture of flanges, rings, and plugs.
Sudostroenie 31 no. 5846-48 My '65. (MIRA 18:8)

BRZHEZYAK, Yuriy Davydovich; OVCHINNIKOV, I.N., inzh., retsenzent.
IVANOV, I.I., inzh., retsenzent; ALEKSEYEV, N.I., nauch.
red.; OZEROVA, Z.V., red.

[Continuous flow line in the manufacture of flanges and
rings] Potochnaia liniia izgotovleniya flantsev i kolets.
Leningrad, Sudostroenie, 1964. 60 p. (MIRA 17:5)

Brzhezyak, Yuriy Davydovich

PHASE BOOK I EXPLITATION

281

Brzhezyak, Yuriy Davydovich

Pnevmaticheskiye i pnevmogidravlicheskiye zazhimy v prisposobleniyaakh (Pneumatic and Pneumohydraulic Clamping-devices in Fixtures) Leningrad, Sudpromiz, 1957. 94 p. 3,500 copies printed. (Nauchno-proizvodstvennyy opyt)

Resp. Ed.: Bozov, A.A.; Ed.: Mishkevich, G.I.; Tech. Ed.: Dvorakovskaya, A.A.

PURPOSE: This brochure is intended for equipment designers, technologists, foremen, and workers in mechanical shops of shipyards and machine-building plants.

COVERAGE: The brochure analyzes designs of air-operated and pneumohydraulic machine-tool fixtures which are either in use or recommended for use under conditions of individual or limited series production. Control

Card 1/5

281

Pneumatic and Pneumohydraulic Clamping-devices in Fixtures (cont.)

apparatus, fittings and schematics of drives are described. Some recommendations for construction and exploitation of these fixtures are given. The text is abundantly illustrated with assembly drawings and diagrams; some design data, such as pressures, forces, GOST standards, dimensions and formulas are also supplied. There are 15 Soviet references.

TABLE OF
CONTENTS: Introduction

Page
3

PART ONE

| | |
|--|------|
| Pneumatic Fixtures | 5-67 |
| Ch. I. Designs of Pneumatic Actuators | 5 |
| 1. Pneumatic cylinders | 5 |
| 2. Diaphragm compartments | 5 |
| 3. Basic circuits for engagement of pneumatic drives | 17 |
| 4. Control apparatus and fittings | 19 |

Card 2/5

| | |
|--|-----|
| | 281 |
| Pneumatic and Pneumohydraulic Clamping-devices in Fixtures (cont.) | |
| Ch. II. Designs of Pneumatic Fixtures | 26 |
| 1. Pneumatic fixtures for lathes | 27 |
| 2. Pneumatic fixtures for turret lathes | 39 |
| 3. Pneumatic fixtures for drilling machines | 45 |
| 4. Pneumatic fixtures for milling machines | 47 |
| 5. Universal pneumatic actuators | 58 |
| 6. Pneumatic vises for bench work | 61 |
| Ch. III. Manufacture and Operation of Pneumatic Fixtures | 64 |
| 1. Some special features of pneumatic fixture manufacture | 64 |
| 2. Operation of pneumatic fixtures | 66 |

Card 3/5

281
Pneumatic and Pneumohydraulic Clamping-devices in Fixtures (cont.)

PART TWO

| | |
|--|--------------|
| Pneumohydraulic Clamping-devices in Fixtures | 68-95 |
| Ch. I. Pneumohydraulic Actuators | 68 |
| 1. Basic data on pneumohydraulic fixtures | 68 |
| 2. Basic requirements for pneumohydraulic fixtures | 69 |
| 3. Basic circuit for a pneumohydraulic booster | 70 |
| 4. Designs of pneumohydraulic boosters | 70 |
| Ch. II. Designs of Pneumohydraulic Fixtures | 79 |
| 1. Designs of clamping assemblies | 79 |
| 2. Universal pneumohydraulic fixtures | 82 |
| 3. Designs of some special type pneumohydraulic fixtures | 84 |

Card 4/5

Pneumatic and Pneumohydraulic Clamping-devices in Fixtures (cont.) ²⁸¹

| | |
|--|----|
| Ch. III. Manufacture and Operation of Pneumohydraulic Fixtures | 92 |
| 1. Manufacture and acceptance of pneumohydraulic fixtures | |
| 2. Operation of pneumohydraulic fixtures | 94 |
| Bibliography | 96 |
| AVAILABLE: Library of Congress Card 5/5 | |

JAG/edv
May 27, 1958

BRZHEZYAK, Yu.D., inzh.; PINSON, I.I., inzh.; NIKOLAYEV, A.V., inzh.

Mechanization of hull assembling operations. Sudostroenie 30 no.10:
43-45 O '64.
(MIRA 17:12)

OKTAVERS, K., inzh. (Chekhoslovatskaya Narodnaya Respublika); Brzhinda,
O., O., inzh. (Chekhoslovatskaya Narodnaya Respublika)

Stresses in connecting-rod blades of high-speed diesel engines.
Vest.mash. 40 no.2:24-28 F '60. (MIRA 13:5)
(Diesel engines)

TOMASHKOVA, Yana [Tomaskova, Jana], doktor; PAVLASKOVA, Lidiya
[translator]; BRZHIZOVA, Ioza [Brizova, Joza], otv. red.

[Health and beauty care] Zabota o zdrav'ye i krasote. Prague,
Izd-vo "Pratse," 1961. 118 p. (MIRA 15:4)
(BEAUTY CULTURE) (WOMEN--HEALTH AND HYGIENE)

BRZHOSTOVSKIY, M.

BRZHOSSTOVSKIY, M.; MIYESEROV, Ye.

X-ray defectoscope for the inspection of sausage products. Mias. ind.
SSSR 28 no. 5:32-33 '57. (MIRA 11:1)

1. Rostovskiy-na-Donu myasokombinat (for Brzhostovskiy). 2. Rostov-
skaya rentgenovskaya stantsiya (for Miyeserov).
(Meat inspection) (X rays—Industrial applications)

BRZHOZOVSKIY, A. G.

BRZHOZOVSKIY, A. G.

Brshozovskiy, A. G. "On terminal arterio-venal aneurisms," Trudy XXV Vsesoyuz. s'ezda khirurgov. Moscow, 1948, p. 549-52.

SO: U-3264, 10 April 1953, (Letopis 'nykh Stately, No. 3, 1949

BRZHCOVSKIY, A.G., professor (Kuybyshev).

Source and mechanism of the healing effect of tissue therapy. Sov.med. 17
no.8:14-16 Ag '53.

(MLRA 6:8)

(Tissue extracts) (Nervous system)

BRZHIZOVSKIY, A.G.

[Specialized surgery; a textbook] Chastnaia khirurgiia; uchebnik,
3 izd., perer. i dop. Moskva, Medgiz, 1954. 755 p. (MLBA 7:11)
(Surgery)

~~BRZHOZOVSkiY, E.S., inzh.~~

Regulation of voltage under load on electric railroads.

Zhel. dor. transp. 40 no. 6:74-76 Je '58.

(MIRA 11:6)

(Electric railroads--Substations)

BRZHOZOVSKIY, E. S.: Master Tech Sci (diss) -- "Methods of determining the basic parameters of voltage-regulating equipment for the substations of electrified railroad lines". Moscow, 1959. 9 pp (Min Transportation USSR, Moscow Order of Lenin and Order of Labor Red Banner Inst of Railroad Transport Engineers im I. V. Stalin), 150 copies (KL, No 17, 1959, 108)

BRZHOZOVSkiY, E.S., inzh.

Determining the average number of instances of exceeding a
given level of traction substation current. Trudy MIIT no.104:
80-93 '59. (MIRA 12:9)
(Railroads--Substations)

BRZHOZOVSkiY, E.S.; BRAILOV, V.P.

Concerning the choice of voltages for electric power distribution
networks. Obshch.energ. no.4:84-94 '61. (MIRA 14:8)
(Electric power distribution)

BRZHOZOVSkiY, E.S.

Load conditions of the traction substations of electrified railroads. Obshch.energ. no.4:140-146 '61. (MIRA 14:8)
(Electric railroads--Current supply)

BRZHOZOVSkiY, E.S.

Institute of Construction Physics. Izv.ASiA no.3:121-123 '62.
(MIRA 15:11)

1. Uchenyy sekretar' Instituta stroitel'noy fiziki Akademii
stroitel'stva i arkhitektury SSSR.
(Construction industry)

BRZHOZOVSkiY, G. I.

Using the general theory of equations in work on trigonometry in
the 9th and 10th grades. Uch. zap. Ped. inst. Gerts. 183:357-395
'58. (MIRA 13:8)

(Trigonometry)

BEZPOZOVSKIY, G.I. (Novgorod)

Solving some special types of equations. Mat. v shkole no. 6:58-
59 M.D. '60. (MIR 14:2)
(Equations)

~~BREKHOVSKIY, V.P.~~, inzhener; GUINKEVICH, L.A., inzhener; ROGALIN, A.O.,
inzhener; SLOUSHCHER, K.M., inzhener; PROLOV, P.M., inzhener.

Block-type boiler with an output of 90 tons per hour. Elek.sta.
25 no.11:21-30 в '54.
(Steam boilers) (MLRA 7:11)

BRZHOZOVSkiY, V.F., inzh., red.; IFTINKO, G.A., red. izd-va; OSENKO, L.M.,
tekhn. red.

[Technical specifications SN 157-61 for the manufacture and assembly
of industrial pipes made of carbon and alloy steel] Tekhnicheskie
ukazaniia na izgotovlenie i montazh tekhnologicheskikh truboprovodov
iz uglerodistykh i legirovannykh stalei; SN 157-61. Utverzhdeny 17
fevralia 1961 g. Moskva, Gos. izd-vo lit-ry po stroit., arkhit., i
stroitel. materialam, 1961. 49 p. (MIRA 14:10)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy komitet po delam
stroitel'stva.

(Pipe, Steel)

BRZHOZOVSkiY, V.F., inzh., red.; ISAYEV, N.V., inzh., red.; GOL'DENBERG,
I.S., inzh., red.; PEVZNER, A.S., red. izd-va; CHERKASSkAYA,
F.T., tekhn. red.

[Construction specifications and regulations] Stroitel'nye normy i pravila. Moskva, Gosstroizdat. Pt. 3. Sec.G. ch.9. [Process piping; regulations for manufacture and acceptance of work (SNiP III-G.9-62)] Tekhnologicheskie truboprovody; pravila proizvodstva i priemki rabot (SNiP III-G. 9-62). 1963. 24 p. (MIRA 16:6)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy komitet po delam stroitel'stva. 2. Gosstroy SSSR (for Brzhozovskiy). 3. Mezhdunarovodstvennaya komissiya po peresmotru stroitel'nykh norm i pravil (for Isayev). 4. Proyektno-konstruktorskaya kontora Proyektnofte-spetsmontazh Ministerstva stroitel'stva RSFSR (for Gol'denberg).
(Pipe) (Petroleum refineries--Equipment and supplies)

13631-65 EWT(1)/EWP(m)/EWG(k)/EPA(sp)-2/EWG(v)/EPR/EPA(w)-2/T-2 Pd-4/Pe-5/
I-1/Pz-6/Pab-10/Ps-4 IJP(c)/AEDC(a)/AFETR/ASD(d)/SSD/SSD(b)/AEDC(b)/AFMDC/
ASD(f)-2/ESD/ASD(p)-3/AS(mp)-2/ATC(p) AT/WW
ACCESSION NR: AP4047383

(P) S/0294/64/002/005/0771/0779

AUTHORS: Bzhozovskiy, V. S.; Dul, I.; Fuksiyevich, Ye.; Mikosh, M.; Vang, R.

TITLE: Experimental open-cycle MHD-generator

SOURCE: Teplofizika vysokikh temperatur, v. 2, no. 5, 1964, 771-779

TOPIC TAGS: MHD generator, combustion chamber, heat transfer, combustion chamber wall temperature, regenerative circuit, magnet coil

ABSTRACT: An open-cycle MHD-generator was designed in 1963 for a power output of 1 megawatt. The schematic of the generator is given in the Enclosures. The generator has two combustion chambers: a 100-300 kw capacity and a 1000 kw capacity. The first uses oxygen, nitrogen, or air and kerosene fuel with the incoming air preheated to 1500°. The interior of the chamber is made of refrax material wound with water-carrying copper tubes for cooling. The maximum wall temperature permitted is 1700°. To enhance ionization, potassium is used as seed material in the form of alcohol solution of KOH. Fuel consumption ranges between 12-25 kg/hr. Only a brief description is given of the 1000 kw capacity combustion chamber which was operated for 100 hours at half-capacity. The power system also contains a regenerator for heating air up to 1100°, using the hot exhaust (2000°).
Card 1/4